

Rave Curved HD Stair Lift

EVALUATION/ORDER FORM

Date _____

Sales Representative _____

Dealer Name _____

Camera # _____

Reference # _____

Address _____

City _____ State _____ Zip _____

Phone _____

Email _____

Quote Order

Account Number _____

Purchase Order Number _____

Ship to Address

Contact _____

Address _____

City _____ State _____ Zip _____

Phone _____

Email _____

Site Details

INDOOR (STANDARD)

OUTDOOR

Power Supply (socket) Location:

TOP BOTTOM MID LANDING

Floor Construction:

<input type="radio"/> WOOD	<input type="radio"/> CONCRETE	<input type="radio"/> TILE
<input type="radio"/> MARBLE	<input type="radio"/> GRANITE	<input type="radio"/> STEEL
<input type="radio"/> OTHER _____		

List planned modifications to staircase area:

REMOVE HAND RAIL

MODIFY UNDER FLOOR HEAT SYSTEM


MOVE/MODIFY DOOR AT UPPER LANDING

MOVE/MODIFY DOOR AT LOWER LANDING

OTHER _____

Distance to Nearest Obstruction at Top & Bottom Step

A. _____ INCHES B. _____ INCHES



NUMBER OF FLOORS _____

RAIL LENGTH _____


TOTAL NUMBER OF RISERS _____

STAIR WIDTH _____ INCHES


RISE _____ INCHES RUN _____ INCHES

Options


- KEY SWITCH ON LIFT
 ADDITIONAL CALL/SEND
 ADDITIONAL CHARGING STATION
 EMERGENCY STOP



- 90° TURN
 CUSTOM ANGLE TURN (0-135°)



- 180° TURN
 CUSTOM ANGLE TURN (135-180°)



- DOUBLE 90° TURNS
 DOUBLE CUSTOM RADIUS AND ANGLE (0-135°)



- SPIRAL



- SWEEP

Control Switch

- LEFT HAND




- RIGHT HAND

Lift Hand: As viewed looking up




- LEFT




- RIGHT

Lift Type:



- EXTERNAL




- INTERNAL

- COMBINATION

Colors:

RAIL COLOR	<input type="radio"/>	BEIGE	<input type="radio"/>	BLACK	<input type="radio"/>
SEAT COLOR	<input type="radio"/>	BEIGE	<input type="radio"/>	BLACK	<input type="radio"/>
SEAT CUSHION COLOR	<input type="radio"/>	BEIGE	<input type="radio"/>	BLACK	<input type="radio"/>

Seat Configuration



HEIGHT

- < 5'
 5'1" - 5'6"
 5'7" - 6'
 > 6'1"

WEIGHT


- 150lb
 151-200lbs
 201-250lbs
 251-300lbs
 301-350lbs
 > 350lbs

STANDARD SEAT HEIGHT 22.25"


- A. ____ IN.
 B. ____ IN.
 C. ____ IN.

BULKHEAD HEIGHT FROM STEP AT LOWEST POINT? _____


Top of Stairs




STANDARD INCLINE FINISH



TOP OVERRUN
SPECIFY X _____ INCHES




90° TOP PARK
SPECIFY X _____ INCHES




180° TOP PARK
SPECIFY X _____ INCHES


Bottom of Stairs




STANDARD




DROP NOSE



BOTTOM OVERRUN
SPECIFY X _____ INCHES



90° BOTTOM PARK
SPECIFY X _____ INCHES



190° BOTTOM PARK
SPECIFY X _____ INCHES

Notes/Sketch

Because all of our products are custom built and painted to fit your specific needs and application, the final product is non-returnable. However, we will work with you to resolve any problems. Cancellations of orders must be done within 6 days of sign off in order to receive a full refund of the deposit and freight balances. If a cancellation is not received within 6 days then no refund on the deposit or freight balances can be given as the order will be in production.

I have read and understand the above:

DATE _____ PRINT NAME _____

SIGN NAME _____